

Futhark symb Documentation

Lander Plasschaert

October 1, 2025

Introduction

The futhark symb package provides simple macros for entering both younger- and elder futhark runes using the allrunes package.

Usage

The package can be used with two options, *younger* and/or *elder*, enabling characters for the younger- and elder futhark. If no option is declared, younger futhark is chosen. Symbols are then written using the following commands.

Younger Futhark

<code>\fe</code>	ƿ	<code>\hagall</code>	*	<code>\tyr</code>	↑
<code>\ur</code>	ᚱ	<code>\naud</code>	†	<code>\bjarkan</code>	ᚷ
<code>\thurs</code>	ᚦ	<code>\iss</code>	l	<code>\madr</code>	ƿ
<code>\oss</code>	ᚦ	<code>\ar</code>	†	<code>\logr</code>	↑
<code>\reid</code>	ᚱ	<code>\sol</code>	ᚱ	<code>\yr</code>	ᚱ
<code>\kaun</code>	ƿ				

Elder Futhark

<code>\fehu</code>	ƿ	<code>\hagalaz</code>	H	<code>\tiwaz</code>	↑
<code>\uruz</code>	ᚱ	<code>\naudiz</code>	†	<code>\berkanan</code>	ᚷ
<code>\thurisaz</code>	ᚦ	<code>\isaz</code>	l	<code>\ehwaz</code>	ᚱ
<code>\ansuz</code>	ᚦ	<code>\jera</code>	ᚷ	<code>\mannaz</code>	ᚱ
<code>\raido</code>	ᚱ	<code>\ihwaz</code>	ᚱ	<code>\laguz</code>	↑
<code>\kaunan</code>	<	<code>\perth</code>	ᚱ	<code>\ingwaz</code>	ᚱ
<code>\gebo</code>	X	<code>\algiz</code>	ƿ	<code>\dagaz</code>	ᚱ
<code>\wunjo</code>	ƿ	<code>\sowilo</code>	ᚷ	<code>\othila</code>	ᚱ

There are also commands for printing the entire younger- or elder futhark.

```
\youngerfuthark      ƿ ᚱ ᚦ ᚦ ᚱ · * † † † ᚱ · ↑ ᚷ ƿ ᚱ
\elderfuthark        ƿ ᚱ ᚦ ᚦ ᚱ < X ᚱ · H † † ᚷ ᚱ ƿ ᚷ · ↑ ᚷ ᚱ ᚱ ᚱ ᚱ ᚱ ᚱ ᚱ
```